




Markisolette



# Micro 300

Just  
*enjoy life!*

**Lewens**  
MARKISEN





*Spreads a sunny mood and creates  
a Mediterranean ambience:  
the Micro 300 markisolette*

## Micro 300 – markisolette

Mediterranean flair for every frontage



***Sleek and shapely:***

*the cassette fits snugly against the wall,  
creating a harmonious transition to the  
house façade.*

***Perfectly tensioned awning fabric***  
*in any extended position thanks to  
high-quality pneumatic springs.*



## A precision fit with plenty of style

- Width max. 350 cm, height max. 275 cm
- Fabric: Acrylic (*standard*), polyester, Soltis 92 (*option*)
- Cassette flush with wall
- Electric motor
- Options: Radio motor/radio remote control, automatic weather sensor




*If only partly extended, the Micro 300 runs parallel to the window like a vertical awning. On full extension the awning is angled outwards.*

A traditional feature in Mediterranean climes, markisolettes conjure up a southern atmosphere and add charm to the building frontage. The Micro 300 creates pleasant shading of the interior while providing a virtually unobstructed view of the outside and good ventilation. It even leaves room for window boxes and the plants enjoy shade too.

## Markisolette

*This awning combines the advantages of drop-arm and vertical awnings: while the upper part always remains vertical, the lower part is angled outwards when extended, so that the view to the outside is retained.*






# Micro 300

Equipment and technical features



Manufactured and assembled in Germany  
Quality and technology CE-compliant



Technology	Markisolette
Casing (H x T)	172 x 138 mm
<b>Widths (max.)</b>	
1 unit (single panel)	350 cm
<b>Height (max.)</b>	
System height	275 cm
Arm length (Standard) / arm pitch (max.)	72,5 cm / 135°
<b>Drive</b>	
Electric motor (for wall switch)	<input checked="" type="checkbox"/>
Radio motor (io or RTS)	<input type="checkbox"/>
Crank drive	<input type="checkbox"/>
<b>Frame colours</b>	
17 RAL colours and 6 textured finishes (Lewens standard colours)	<input checked="" type="checkbox"/>
Natural silver (E6/EV 1 anodized, small components RAL 9006)	<input checked="" type="checkbox"/>
Special RAL, special colours and effect finishes	<input type="checkbox"/>
<b>Awning fabrics from the LEWENS collection</b>	
Branded acrylic (spun-dyed, ultra fade resistant)	<input checked="" type="checkbox"/>
Branded polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>
Soltis 92	<input type="checkbox"/>
Tenara quality sewing yarn	<input checked="" type="checkbox"/>
Ultrasonic seam welding	<input type="checkbox"/>
<b>Options</b>	
Radio motor + radio remote control (io or RTS)	<input type="checkbox"/>
Automatic weather sensor (sun, wind, rain)	<input type="checkbox"/>
<b>Attachment</b>	
Wall	<input checked="" type="checkbox"/>
Ceiling	<input type="checkbox"/>

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard   □ Option



[www.lewens-markisen.de](http://www.lewens-markisen.de)

Your stockist will be happy to advise you:



**IDÉ-SIGN**  
SKILTE OG SOLAFSKÆRMNING

Telf. 6310 5058  
[info@ide-sign.dk](mailto:info@ide-sign.dk)

Subject to technical alterations. Date: 12/2019